
Extensible Provisioning Protocol Extension Mapping: Jobs Contact

Version 1.1

7 September 2007



VeriSign Naming and Directory Services Proprietary Information

This document is the property of VeriSign, Inc. It may be used by recipient only for the purpose for which it was transmitted and will be returned upon request or when no longer needed by recipient. It may not be copied or communicated without the prior written consent of VeriSign.

COPYRIGHT NOTIFICATION

Copyright © 2005, VeriSign, Inc. All rights reserved.

VERISIGN NAMING AND DIRECTORY SERVICES PROPRIETARY INFORMATION

This document is the property of VeriSign, Inc. Information contained herein may include trade secrets and confidential information belonging to VeriSign. Unauthorized disclosure without the express written consent of VeriSign, Inc. is prohibited. It may be used by recipient only for the purpose for which it was transmitted and will be returned upon request or when no longer needed by recipient. It may not be copied or communicated without the prior written consent of VeriSign, Inc.

DISCLAIMER AND LIMITATION OF LIABILITY

VeriSign, Inc. has made efforts to ensure the accuracy and completeness of the information in this document. However, VeriSign, Inc. makes no warranties of any kind (whether express, implied or statutory) with respect to the information contained herein.

VeriSign, Inc. assumes no liability to any party for any loss or damage (whether direct or indirect) caused by any errors, omissions or statements of any kind contained in this document. Further, VeriSign, Inc. assumes no liability arising from the application or use of the product or service described herein and specifically disclaims any representation that the products or services described do not infringe upon any existing or future intellectual property rights. Nothing herein grants the reader any license to make, use, or sell equipment or products constructed in accordance with this document. Finally, all rights and privileges related to any intellectual property right described in this document are vested in the patent, trademark, or service mark owner, and no other person may exercise such rights without express permission, authority, or license secured from the patent, trademark, or service mark owner.

VeriSign Inc. reserves the right to make changes to any information herein without further notice.

NOTICE AND CAUTION

Concerning U.S. Patent or Trademark Rights

The inclusion in this document, the associated on-line file, or the associated software of any information covered by any patent, trademark, or service mark rights will not constitute nor imply a grant of, or authority to exercise, any right or privilege protected by such patent, trademark, or service mark. All such rights and privileges are vested in the patent, trademark, or service mark owner, and no other person may exercise such rights without express permission, authority, or license secured from the patent, trademark, or service mark owner.

This publication was created using Microsoft® Word 2000 for Windows™ by Microsoft Corporation.
Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation.

September 7, 2007



VeriSign Naming and Directory Services

21345 Ridgetop Circle

Dulles, VA 20166-6503

E-mail : info@verisign-grs.com

Internet : <http://www.verisign-grs.com>

Table of Contents

1	INTRODUCTION	4
2	OBJECT ATTRIBUTES.....	4
2.1	Title.....	4
2.2	Website	4
2.3	Industry Type	4
2.4	Admin Type	4
2.5	Association Member	5
3	EPP COMMAND MAPPING.....	6
3.1	EPP Query Commands	6
3.1.1	EPP <check> Command	7
3.1.2	EPP <info> Command	8
3.1.3	EPP <transfer> Command.....	10
3.2	EPP Transform Commands.....	11
3.2.1	EPP <create> Command	11
3.2.2	EPP <delete> Command	12
3.2.3	EPP <renew> Command.....	12
3.2.4	EPP <transfer> Command.....	12
3.2.5	EPP <update> Command	13
4	FORMAL SYNTAX.....	15
5	REFERENCES.....	17

1 Introduction

This document describes a DotJobs contact extension for version 1.0 of the Extensible Provisioning Protocol (EPP). This mapping, an extension of the contact mapping described in [EPP-C], is specified using the Extensible Markup Language (XML) 1.0 as described in [XML] and XML Schema notation as described in [XMLS-1] and [XMLS-2].

[EPP] provides a complete description of EPP command and response structures. A thorough understanding of the base protocol specification is necessary to understand the mapping described in this document.

XML is case sensitive. Unless stated otherwise, XML specifications and examples provided in this document MUST be interpreted in the character case presented to develop a conforming implementation.

2 Object Attributes

This extension adds additional elements to the contact mapping described in [EPP-C].

An EPP JobsContact extension object has attributes and associated values that can be viewed and modified by the sponsoring client or the server. This section describes each attribute type in detail. The formal syntax for the attribute values described here can be found in the “Formal Syntax” section of this document and in the appropriate normative references.

2.1 Title

Contact title is represented using character strings. These strings have a specified minimum length and a specified maximum length. This attribute defines the title of the contact in the organization.

2.2 Website

Contact website is represented using character strings. These strings have a specified minimum length and a specified maximum length. This attribute specifies the website information associated with the contact.

2.3 Industry Type

Contact industry type is represented using character strings. These strings have a specified minimum length and a specified maximum length. This attribute defines the industry type the contact belongs to.

2.4 Admin Type

Every contact defines whether it is of administrative type or not. It has different values such as “Yes” or “No”. No other values are permitted. If the contact is of administrative type then “Yes” value is provided, else “No” should be provided.

2.5 Association Member

Every contact registered may belong to the HR Association. This attribute defines whether membership status. The different values that this field can hold are “Yes” or “No”. If the contact is a member of the HR association “Yes” will be provided, else “No” should be provided.

3 EPP Command Mapping

A detailed description of the EPP syntax and semantics can be found in [EPP]. The command mappings described here are specifically for use with the Jobs Contact Extension.

3.1 EPP Query Commands

EPP provides three commands to retrieve object information: `<check>` to determine if an object is known to the server, `<info>` to retrieve detailed information associated with an object, and `<transfer>` to retrieve object transfer status information.

3.1.1 EPP <check> Command

This extension does not add any elements to the EPP <check> command or <check> response described in [EPP-C].

3.1.2 EPP <info> Command

This extension does not add any elements to the EPP <info> command.

When an <info> command has been processed successfully, the EPP <infData> element MUST contain child elements as described in [EPP-C]. In addition to the EPP response element described in [EPP-C], the response MUST contain an <extension> element with a <jobsContact:infData> child element. The <jobsContact:infData> element contains the following child elements:

- An **OPTIONAL** <jobsContact:title> element that contains title of the contact.
- A <jobsContact:website> element that contains website information of the contact.
- An **OPTIONAL** <jobsContact:industryType> element that contains the industry type of the organization associated with the contact.
- A <jobsContact:isAdminContact> element that specifies whether the registering contact is an administrative contact.
- An **OPTIONAL** <jobsContact:isAssociationMember> element that specifies whether the contact is member of HR Association.

Example <info> response:

```
S: <?xml version="1.0" encoding="UTF-8"?>
S: <epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
S:   <response>
S:     <result code="1000">
S:       <msg>Command completed successfully</msg>
S:     </result>
S:     <resData>
S:       <contact:infData
        xmlns:contact="urn:ietf:params:xml:ns:contact-1.0"
        xsi:schemaLocation="urn:ietf:params:xml:ns:contact-1.0
        contact-1.0.xsd">
S:         <contact:id>sh8013</contact:id>
S:         <contact:roid>SH8013-VRSN</contact:roid>
S:         <contact:status s="linked"/>
S:         <contact:status s="clientUpdateProhibited"/>
S:         <contact:postalInfo type="loc">
S:           <contact:name>John Doe</contact:name>
S:           <contact:org>Example Inc.</contact:org>
S:           <contact:addr>
S:             <contact:street>123 Example Dr.</contact:street>
S:             <contact:street>Suite 100</contact:street>
S:             <contact:city>Dulles</contact:city>
S:             <contact:sp>VA</contact:sp>
S:             <contact:pc>20166-6503</contact:pc>
S:             <contact:cc>US</contact:cc>
S:           </contact:addr>
S:         </contact:postalInfo>
S:       <contact:postalInfo type="int">
S:         <contact:name>i15d John Doe</contact:name>
S:         <contact:org>i15d Example Inc.</contact:org>
S:         <contact:addr>
S:           <contact:street>i15d 123 Example Dr.</contact:street>
S:           <contact:street>i15d Suite 100</contact:street>
S:           <contact:city>Dulles</contact:city>
S:           <contact:sp>VA</contact:sp>
```

```

S:         <contact:pc>20166-6503</contact:pc>
S:         <contact:cc>US</contact:cc>
S:         </contact:addr>
S:         </contact:postalInfo>
S:         <contact:voice>+1.7035555555</contact:voice>
S:         <contact:fax>+1.7035555556</contact:fax>
S:         <contact:email>jdoe@example.com</contact:email>
S:         <contact:clID>ClientY</contact:clID>
S:         <contact:crID>ClientX</contact:crID>
S:         <contact:crDate>2007-06-19T00:38:11.0304Z</contact:crDate>
S:         <contact:authInfo>
S:             <contact:pw>2fooBAR</contact:pw>
S:         </contact:authInfo>
S:         <contact:disclose flag="1">
S:             <contact:name type="int"/>
S:             <contact:org type="loc"/>
S:             <contact:org type="int"/>
S:             <contact:addr type="loc"/>
S:             <contact:addr type="int"/>
S:             <contact:voice/>
S:             <contact:fax/>
S:             <contact:email/>
S:         </contact:disclose>
S:     </contact:infData>
S: </resData>
S: <extension>
S:     <jobsContact:infData
S:         xmlns:jobsContact="http://www.verisign.com/epp/dotJobs-1.0"
S:         xsi:schemaLocation="http://www.verisign.com/epp/dotJobs-1.0 dotJobs-
S:         1.0.xsd">
S:         <jobsContact:title>Info-title</jobsContact:title>
S:         <jobsContact:website>whois.example.com</jobsContact:website>
S:         <jobsContact:industryType>IT</jobsContact:industryType>
S:         <jobsContact:isAdminContact>Yes</jobsContact:isAdminContact>
S:         <jobsContact:isAssociationMember>Yes
S:             </jobsContact:isAssociationMember>
S:         </jobsContact:infData>
S:     </extension>
S:     <trID>
S:         <clTRID>144</clTRID>
S:         <svTRID>54321-XYZ</svTRID>
S:     </trID>
S: </response>
S: </epp>

```

3.1.3 EPP <transfer> Command

This extension does not add any elements to the EPP <transfer> query command or <transfer> query response described in [EPP-C].

3.2 EPP Transform Commands

EPP provides five commands to transform objects: `<create>` to create an instance of an object, `<delete>` to delete an instance of an object, `<renew>` to extend the validity period of an object, `<transfer>` to manage object sponsorship changes, and `<update>` to change information associated with an object.

3.2.1 EPP `<create>` Command

The EPP `<create>` command provides a transform operation that allows a client to create a contact object with dotJobs extension elements. In addition to the standard EPP command elements, the `<create>` command **MUST** contain a `<contact:create>` element and dotJobs extension element that identifies the contact namespace and the location of the contact schema. The `<jobsContact:create>` element contains the following child elements:

- An **OPTIONAL** `<jobsContact:title>` element that contains title of the contact.
- A `<jobsContact:website>` element that contains website information of the contact.
- An **OPTIONAL** `<jobsContact:industryType>` element that contains the industry type of the organization associated with the contact.
- A `<jobsContact:isAdminContact>` element that specifies whether the registering contact is an administrative contact.
- An **OPTIONAL** `<jobsContact:isAssociationMember>` element that specifies whether the contact is member of HR Association.

```
C: <?xml version="1.0" encoding="UTF-8" standalone="no"?>
C: <epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
C:   <command>
C:     <create>
C:       <contact:create
          xmlns:contact="urn:ietf:params:xml:ns:contact-1.0"
          xsi:schemaLocation="urn:ietf:params:xml:ns:contact-1.0
          contact-1.0.xsd">
C:         <contact:id>8013</contact:id>
C:         <contact:postalInfo type="loc">
C:           <contact:name>John Doe</contact:name>
C:           <contact:org>Example Inc.</contact:org>
C:           <contact:addr>
C:             <contact:street>123 Example Dr.</contact:street>
C:             <contact:street>Suite 100</contact:street>
C:             <contact:city>Dulles</contact:city>
C:             <contact:sp>VA</contact:sp>
C:             <contact:pc>20166-6503</contact:pc>
C:             <contact:cc>US</contact:cc>
C:           </contact:addr>
C:         </contact:postalInfo>
C:         <contact:voice x="1234">+1.7035555555</contact:voice>
C:         <contact:fax>+1.7035555556</contact:fax>
C:         <contact:email>jdoe@example.com</contact:email>
C:         <contact:authInfo>
C:           <contact:pw>2fooBAR</contact:pw>
C:         </contact:authInfo>
C:         <contact:disclose flag="0">
C:           <contact:voice/>
C:           <contact:email/>
```

```

C:      </contact:disclose>
C:      </contact:create>
C:    </create>
C:    <extension>
C:      <namestoreExt:namestoreExt
          xmlns:namestoreExt="http://www.verisign-grs.com/epp/namestoreExt-1.1"
          xsi:schemaLocation="http://www.verisign-grs.com/epp/namestoreExt-1.1
          namestoreExt-1.1.xsd">
C:        <namestoreExt:subProduct>dotJOBS</namestoreExt:subProduct>
C:      </namestoreExt:namestoreExt>
C:    <jobsContact:create
          xmlns:jobsContact="http://www.verisign.com/epp/jobsContact-1.0"
          xsi:schemaLocation="http://www.verisign.com/epp/jobsContact-1.0
          jobsContact-1.0.xsd">
C:      <jobsContact:title>SE</jobsContact:title>
C:      <jobsContact:website>www.verisign.com</jobsContact:website>
C:      <jobsContact:industryType>IT</jobsContact:industryType>
C:      <jobsContact:isAdminContact>Yes</jobsContact:isAdminContact>
C:      <jobsContact:isAssociationMember>Yes</jobsContact:isAssociationMember>
C:    </jobsContact:create>
C:  </extension>
C:  <clTRID>ABC-12345</clTRID>
C: </command>
C: </epp>

```

This extension does not add any elements to the EPP <create> response described in [EPP-C].

3.2.2 EPP <delete> Command

This extension does not add any elements to the EPP <delete> command or <delete> response described in [EPP-C].

3.2.3 EPP <renew> Command

This extension does not add any elements to the EPP <renew> command described in [EPP-C].

3.2.4 EPP <transfer> Command

This extension does not add any elements to the EPP <transfer> command described in [EPP-C].

3.2.5 EPP <update> Command

The EPP <update> command provides a transform operation that allows a client to modify the attributes of a contact object. In addition to the standard EPP command elements, the <update> command MUST contain a <contact:update> element that identifies the contact namespace and the location of the contact schema. The <contact:update> element MAY contain the following dotJobs specific extension elements:

- An **OPTIONAL** <jobsContact:title> element that contains title of the contact.
- An **OPTIONAL** <jobsContact:website> element that contains website of the contact.
- An **OPTIONAL** <jobsContact:industryType> element that contains the industry type of the organization associated with the contact.
- A **OPTIONAL** <jobsContact:isAdminContact> element that specifies whether the contact is an administrative contact.
- An **OPTIONAL** <jobsContact:isAssociationMember> element that specifies whether the contact is member of HR Association.

```
C: <?xml version="1.0" encoding="UTF-8" standalone="no"?>
C: <epp xmlns="urn:ietf:params:xml:ns:epp-1.0"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="urn:ietf:params:xml:ns:epp-1.0 epp-1.0.xsd">
C:   <command>
C:     <update>
C:       <contact:update
        xmlns:contact="urn:ietf:params:xml:ns:contact-1.0"
        xsi:schemaLocation="urn:ietf:params:xml:ns:contact-1.0
        contact-1.0.xsd">
C:         <contact:id>8200</contact:id>
C:         <contact:add>
C:           <contact:status s="clientDeleteProhibited"/>
C:         </contact:add>
C:         <contact:chg>
C:           <contact:postalInfo type="loc">
C:             <contact:name>John Franc</contact:name>
C:             <contact:org/>
C:             <contact:addr>
C:               <contact:street>1245 Example Dr.</contact:street>
C:               <contact:street>Suite 200</contact:street>
C:               <contact:city>Dulles</contact:city>
C:               <contact:sp>VA</contact:sp>
C:               <contact:pc>20166-6503</contact:pc>
C:               <contact:cc>US</contact:cc>
C:             </contact:addr>
C:           </contact:postalInfo>
C:           <contact:voice>+1.7034444444</contact:voice>
C:           <contact:fax/>
C:           <contact:authInfo>
C:             <contact:pw>2fooBAR</contact:pw>
C:           </contact:authInfo>
C:           <contact:disclose flag="1">
C:             <contact:voice/>
C:             <contact:email/>
C:           </contact:disclose>
C:         </contact:chg>
C:       </contact:update>
C:     </update>
C:   </command>
```

```

C:      </contact:update>
C:      </update>
C:      <extension>
C:      <namestoreExt:namestoreExt
      xmlns:namestoreExt="http://www.verisign-grs.com/epp/namestoreExt-1.1"
      xsi:schemaLocation="http://www.verisign-grs.com/epp/namestoreExt-1.1
      namestoreExt-1.1.xsd">
C:      <namestoreExt:subProduct>dotJOBS</namestoreExt:subProduct>
C:      </namestoreExt:namestoreExt>
C:      <jobsContact:update
      xmlns:jobsContact="http://www.verisign.com/epp/jobsContact-1.0"
      xsi:schemaLocation="http://www.verisign.com/epp/jobsContact-1.0
      jobsContact-1.0.xsd">
C:      <jobsContact:title>SE</jobsContact:title>
C:      <jobsContact:website>www.verisign.com</jobsContact:website>
C:      <jobsContact:industryType>IT</jobsContact:industryType>
C:      <jobsContact:isAdminContact>Yes</jobsContact:isAdminContact>
C:      <jobsContact:isAssociationMember>Yes
      </jobsContact:isAssociationMember>
C:      </jobsContact:update>
C:      </extension>
C:      <clTRID>ABC-12345</clTRID>
C:      </command>
C:      </epp>

```

This extension does not add any elements to the EPP `<update>` response described in [EPP-C].

4 Formal Syntax

An EPP object mapping is specified in XML Schema notation. The formal syntax presented here is a complete schema representation of the object mapping suitable for automated validation of EPP XML instances. The BEGIN and END tags are not part of the schema; they are used to note the beginning and ending of the schema for URI registration purposes.

```
<?xml version="1.0" encoding="UTF-8"?>

<schema targetNamespace="http://www.verisign.com/epp/jobsContact-1.0"
  xmlns:jobsContact="http://www.verisign.com/epp/jobsContact-1.0"
  xmlns:eppcom="urn:ietf:params:xml:ns:eppcom-1.0"
  xmlns="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="qualified">

<!--
  Import common element types.
-->
<import namespace="urn:ietf:params:xml:ns:eppcom-1.0"
  schemaLocation="eppcom-1.0.xsd"/>

<annotation>
  <documentation>
    Extensible Provisioning Protocol v1.0
    extension schema for dotJobs Contact
  </documentation>
</annotation>

<!--
  Child elements found in Extension commands.
-->

<element name="create" type="jobsContact:createType"/>
<element name="update" type="jobsContact:updateType"/>

<!--
  Child response elements in extension.
-->
<element name="infData" type="jobsContact:infDataType"/>

<!--
  Child elements of the <create> command extension.
-->
<complexType name="createType">
  <sequence>
    <element name="title" type="jobsContact:optType" minOccurs="0"/>
    <element name="website" type="jobsContact:labelType"/>
    <element name="industryType" type="jobsContact:optType" minOccurs="0"/>
    <element name="isAdminContact" type="jobsContact:booleanType"/>
    <element name="isAssociationMember" type="jobsContact:booleanType"
minOccurs="0"/>
  </sequence>
</complexType>

<!--
  Child elements of the <update> command extension.
-->
<complexType name="updateType">
  <sequence>
```

```

        <element name="title" type="jobsContact:optType" minOccurs="0"/>
        <element name="website" type="jobsContact:labelType" minOccurs="0"/>
        <element name="industryType" type="jobsContact:optType" minOccurs="0"/>
        <element name="isAdminContact" type="jobsContact:booleanType"
minOccurs="0"/>
        <element name="isAssociationMember" type="jobsContact:booleanType"
minOccurs="0"/>
    </sequence>
</complexType>

<!--
    Child elements of the <info> response extension.
-->

<complexType name="infDataType">
    <sequence>
        <element name="title" type="jobsContact:optType" minOccurs="0"/>
        <element name="website" type="jobsContact:labelType"/>
        <element name="industryType" type="jobsContact:optType" minOccurs="0"/>
        <element name="isAdminContact" type="jobsContact:booleanType"/>
        <element name="isAssociationMember" type="jobsContact:booleanType"
minOccurs="0"/>
    </sequence>
</complexType>

<simpleType name="booleanType">
    <restriction base="token">
        <enumeration value="Yes"/>
        <enumeration value="No"/>
    </restriction>
</simpleType>

<simpleType name="optType">
    <restriction base="normalizedString">
        <maxLength value="128"/>
    </restriction>
</simpleType>

<simpleType name="labelType">
    <restriction base="normalizedString">
        <maxLength value="256"/>
    </restriction>
</simpleType>

<!--
End of schema.
-->
</schema>

```

5 References

[EPP] IETF RFC 3730: S. Hollenbeck: "Extensible Provisioning Protocol (EPP)", March 2004.

[EPP-C] IETF RFC 3733: S. Hollenbeck: "Extensible Provisioning Protocol Contact Mapping", March 2004.

[XML] Editors T. Bray et al.: "Extensible Markup Language (XML) 1.0 (Second Edition)", W3C Recommendation 6 October 2000.

[XMLS-1] Editors H. Thompson et al.: "XML Schema Part 1: Structures", W3C Recommendation 2 May 2001.

[XMLS-2] Editors P. Biron, A. Malhotra: "XML Schema Part 2: Datatypes", W3C Recommendation 2 May 2001.